

HILMOT

A TREW Company

QUICK QUOTE CATALOG

CONVEYOR MODULES

Series 1500 - H-20 Full Control - Interroll EC5000



Fast Lead Times | Excellent Prices
414.446.4900 | hilmot.com | info@hilmot.com

TABLE OF CONTENTS

CONVEYOR MODULES

H-20 Full Control - Interroll EC5000

Hilmot MDR Straight (RSL)	1
Hilmot MDR Straight (RSH)	7
Hilmot MDR Curve	13
Hilmot MDR Merge	16
Hilmot HCAT90	18
Hilmot MDR Lift Gate	20
Hilmot MDR Spur Curve	22
Hilmot MDR Spur	24
Hilmot HCAT30	26
Hilmot Spiral Curve	28
Hilmot MDR Spiral	30
Hilmot Double Pick & Pass	33
Hilmot Triple Pick & Pass	35
Hilmot Gravity Roller Conveyor	37
Hilmot MDR Belted Horizontal 24" Zone	39
Hilmot MDR Belted Decline 24" Zone	42
Hilmot MDR Belted Incline 24" Zone	46
Hilmot MDR Belted Horizontal 30" Zone	50
Hilmot MDR Belted Decline 30" Zone	53
Hilmot MDR Belted Incline 30" Zone	57
Hilmot MDR Belted Horizontal 36" Zone	61
Hilmot MDR Belted Decline 36" Zone	64
Hilmot MDR Belted Incline 36" Zone	68

HILMOT MDR STRAIGHT (RSL)

INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR straight modules are available in the widths, lengths and zones you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.




Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Standard IP54

HILMOT MDR STRAIGHT (RSL)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
MR15A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
MR15A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
MR21A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
MR21A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
MR27A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
MR27A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
MR33A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
MR33A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
MR36A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
MR36A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
MR15A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
MR15A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
MR21A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
MR21A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
MR27A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
MR27A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
MR33A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
MR33A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
MR36A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL
MR36A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT MDR STRAIGHT (RSL)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
MR15A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
MR15A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
MR21A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
MR21A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
MR27A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
MR27A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
MR33A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
MR33A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
MR36A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
MR36A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
MR15A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
MR15A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
MR21A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
MR21A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
MR27A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
MR27A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
MR33A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
MR33A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
MR36A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
MR36A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT MDR STRAIGHT (RSL)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
MR15B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
MR15B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
MR21B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
MR21B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
MR27B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN LH, FULL CONTROL
MR27B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN RH, FULL CONTROL
MR33B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN LH, FULL CONTROL
MR33B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN RH, FULL CONTROL
MR36B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN LH, FULL CONTROL
MR36B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
MR15B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN LH, FULL CONTROL
MR15B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN RH, FULL CONTROL
MR21B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN LH, FULL CONTROL
MR21B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN RH, FULL CONTROL
MR27B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN LH, FULL CONTROL
MR27B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN RH, FULL CONTROL
MR33B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN LH, FULL CONTROL
MR33B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN RH, FULL CONTROL
MR36B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN LH, FULL CONTROL
MR36B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSL)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L

QUICK QUOTE#	Description
MR15B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN LH, FULL CONTROL
MR15B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN RH, FULL CONTROL
MR21B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN LH, FULL CONTROL
MR21B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN RH, FULL CONTROL
MR27B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN LH, FULL CONTROL
MR27B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN RH, FULL CONTROL
MR33B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN LH, FULL CONTROL
MR33B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN RH, FULL CONTROL
MR36B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN LH, FULL CONTROL
MR36B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
MR15C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN LH, FULL CONTROL
MR15C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN RH, FULL CONTROL
MR21C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN LH, FULL CONTROL
MR21C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN RH, FULL CONTROL
MR27C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN LH, FULL CONTROL
MR27C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN RH, FULL CONTROL
MR33C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN LH, FULL CONTROL
MR33C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN RH, FULL CONTROL
MR36C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN LH, FULL CONTROL
MR36C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSL)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
MR15C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN LH, FULL CONTROL
MR15C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN RH, FULL CONTROL
MR21C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN LH, FULL CONTROL
MR21C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN RH, FULL CONTROL
MR27C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN LH, FULL CONTROL
MR27C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN RH, FULL CONTROL
MR33C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN LH, FULL CONTROL
MR33C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN RH, FULL CONTROL
MR36C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN LH, FULL CONTROL
MR36C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L

QUICK QUOTE#	Description
MR15C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN LH, FULL CONTROL
MR15C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN RH, FULL CONTROL
MR21C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN LH, FULL CONTROL
MR21C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN RH, FULL CONTROL
MR27C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN LH, FULL CONTROL
MR27C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN RH, FULL CONTROL
MR33C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN LH, FULL CONTROL
MR33C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN RH, FULL CONTROL
MR36C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN LH, FULL CONTROL
MR36C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSH)

INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR straight modules are available in the widths, lengths and zones you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.




Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Standard IP54

HILMOT MDR STRAIGHT (RSH)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
HR15A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36A6DS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36A6CS	144IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
HR15A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36A4DS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36A4CS	96IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSH)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
HR15A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36A2DS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36A2CS	48IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
HR15A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36A1DS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36A1CS	24IN INTERMEDIATE, SERIES 1500, 24IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSH)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
HR15B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36B4DS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36B4CS	120IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
HR15B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36B2DS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36B2CS	60IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSH)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 30IN ZONE INTERMEDIATE STANDARDS 30IN L

QUICK QUOTE#	Description
HR15B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36B1DS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36B1CS	30IN INTERMEDIATE, SERIES 1500, 30IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
HR15C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36C4DS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36C4CS	144IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT MDR STRAIGHT (RSH)

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
HR15C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36C2DS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36C2CS	72IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET HIGH 36IN ZONE INTERMEDIATE STANDARDS 36IN L

QUICK QUOTE#	Description
HR15C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, LH FULL CONTROL
HR15C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 15IN BF, RSH 5.25IN, RH FULL CONTROL
HR21C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, LH FULL CONTROL
HR21C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 21IN BF, RSH 5.25IN, RH FULL CONTROL
HR27C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN LH, FULL CONTROL
HR27C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 27IN BF, RSH 5.25IN RH, FULL CONTROL
HR33C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN LH, FULL CONTROL
HR33C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 33IN BF, RSH 5.25IN RH, FULL CONTROL
HR36C1DS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN LH, FULL CONTROL
HR36C1CS	36IN INTERMEDIATE, SERIES 1500, 36IN ZONE, 36IN BF, RSH 5.25IN RH, FULL CONTROL

HILMOT MDR CURVE

CURVE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR curve modules are available in widths and degrees you need for your high-speed, light to medium duty distribution system. Pre-wired conveyor sections can be networked with a variety of technologies and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain. Zero pressure accumulation is standard.




Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 21:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Ultra Durable ribbed tapered roller design for maximum traction and longevity
- Built-in photo eye, one per zone
- Electrical components have quick connect terminals for easy installations and expansion
- ABEC rated precision bearings in the idler rollers
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Standard IP54, Up to IP67 Rating

HILMOT MDR CURVE

CURVE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 90 DEG CURVE STANDARDS 32.5" IR

QUICK QUOTE#	Description
CV1592DS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV1592CS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2192DS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2192CS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2792DS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2792CS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3392DS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3392CS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3692DS	90DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2692CS	90DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 60 DEG CURVE STANDARDS 32.5" IR

QUICK QUOTE#	Description
CV1561DS	60DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV1561CS	60DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2161DS	60DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2161CS	60DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2761DS	60DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2761CS	60DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3361DS	60DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3361CS	60DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3661DS	60DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3661CS	60DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL

HILMOT MDR CURVE

CURVE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 45 DEG CURVE STANDARDS 32.5" IR

QUICK QUOTE#	Description
CV1541DS	45DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV1541CS	45DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2141DS	45DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2141CS	45DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2741DS	45DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2741CS	45DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3341DS	45DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3341CS	45DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3641DS	45DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3641CS	45DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC, SET LOW, 30 DEG CURVE STANDARDS 32.5" IR

QUICK QUOTE#	Description
CV1530DS	30DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV1530CS	30DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2130DS	30DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2130CS	30DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV2730DS	30DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV2730CS	30DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3330DS	30DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3330CS	30DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL
CV3630DS	30DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, RH CURVE, LH FULL CONTROL
CV3630CS	30DEG CURVE, SERIES 1500, 36IN BF, RSL 7.5IN, 1 ZONE, 32.5IR, LH CURVE, RH FULL CONTROL

HILMOT MDR MERGE

MERGE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR merge modules provide a 30° spur for merging. It attaches to a machine conveyor to achieve a high-rate of 40 cases per min. The units are modular and come preassembled as one unit (both spur and mainline). Built in and factory-mounted guard rail are included. Pre-mounted in-frame photo eyes are prewired. No pneumatics required. The all 24VDC electric operation ensures a consistent and quiet system that is easy to maintain.


Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Merge Rate up to 40 cases per minute
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

HILMOT MDR MERGE

MERGE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, FULL, 24 VOLT DC SET LOW 30IN ZONE MERGE STANDARDS 90IN L

QUICK QUOTE#	Description
MG15B3DS	90IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
MG15B3CS	90IN MERGE FROM LEFT, 30DEG, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
MG21B3DS	90IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
MG21B3CS	90IN MERGE FROM LEFT, 30DEG, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, FULL, 24 VOLT DC SET LOW 36IN ZONE MERGE STANDARDS 108IN L

QUICK QUOTE#	Description
MG27C3DS	108IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
MG27C3CS	108IN MERGE FROM LEFT, 30DEG, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, FULL, 24 VOLT DC SET LOW 36IN ZONE MERGE STANDARDS 144IN L

QUICK QUOTE#	Description
MG33B3DS	144IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
MG33B3CS	144IN MERGE FROM LEFT, 30DEG, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
MG36B3DS	144IN MERGE FROM RIGHT, 30DEG, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
MG36B3CS	144IN MERGE FROM LEFT, 30DEG, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT HCAT90



TRANSFER MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot HCAT90 transfer modules provide a 90° right angle transfer for sortation, distribution or assembly applications. It is powered by 24 volt DC electricity, with rates up to 40 products/min. The HCAT90 utilizes one MDR and two Geared Motors to provide motion of the rollers, belts, and lifting. There is no electric actuator or pneumatic cylinder reducing overall project cost and installation effort.

Minimum Product Size 9" X 9"
Up to 180 FPM
Gear Ratio 18:1
Up to 75 lbs
Timing Belt



KEY FEATURES AND BENEFITS

- Rate up to 40 products per min (Conditional on Application)
- Standard to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable Timing Belts
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard, Up to IP67
- Positive Drive, O-Band
- Programming Required

HILMOT HCAT90

TRANSFER MODULE - Series 1500

HILMOT SERIES 1500, STANDARD TO MED DUTY, FULL, ZPA, FULL, 24 V DC 30IN ZONE 90 DEG HCAT TRANSFER HCAT90

QUICK QUOTE#	Description
HT15B1DS	HCAT90, SERIES 1500, 30IN ZONE, 15IN BF, 14IN OAH, LH FULL CONTROL
HT15B1CS	HCAT90, SERIES 1500, 30IN ZONE, 15IN BF, 14IN OAH, RH FULL CONTROL
HT21B1DS	HCAT90, SERIES 1500, 30IN ZONE, 21IN BF, 14IN OAH, LH FULL CONTROL
HT21B1CS	HCAT90, SERIES 1500, 30IN ZONE, 21IN BF, 14IN OAH, RH FULL CONTROL
HT27B1DS	HCAT90, SERIES 1500, 30IN ZONE, 27IN BF, 14IN OAH, LH FULL CONTROL
HT27B1CS	HCAT90, SERIES 1500, 30IN ZONE, 27IN BF, 14IN OAH, RH FULL CONTROL
HT33B1DS	HCAT90, SERIES 1500, 30IN ZONE, 33IN BF, 14IN OAH, LH FULL CONTROL
HT33B1CS	HCAT90, SERIES 1500, 30IN ZONE, 33IN BF, 14IN OAH, RH FULL CONTROL
HT36B1DS	HCAT90, SERIES 1500, 30IN ZONE, 36IN BF, 14IN OAH, LH FULL CONTROL
HT36B1CS	HCAT90, SERIES 1500, 30IN ZONE, 36IN BF, 14IN OAH, RH FULL CONTROL

HILMOT SERIES 1500, STANDARD TO MED DUTY, FULL, ZPA, FULL, 24 V DC 36IN ZONE 90 DEG HCAT TRANSFER HCAT90

QUICK QUOTE#	Description
HT15C1DS	HCAT90, SERIES 1500, 36IN ZONE, 15IN BF, 14IN OAH, LH FULL CONTROL
HT15C1CS	HCAT90, SERIES 1500, 36IN ZONE, 15IN BF, 14IN OAH, RH FULL CONTROL
HT21C1DS	HCAT90, SERIES 1500, 36IN ZONE, 21IN BF, 14IN OAH, LH FULL CONTROL
HT21C1CS	HCAT90, SERIES 1500, 36IN ZONE, 21IN BF, 14IN OAH, RH FULL CONTROL
HT27C1DS	HCAT90, SERIES 1500, 36IN ZONE, 27IN BF, 14IN OAH, LH FULL CONTROL
HT27C1CS	HCAT90, SERIES 1500, 36IN ZONE, 27IN BF, 14IN OAH, RH FULL CONTROL
HT33C1DS	HCAT90, SERIES 1500, 36IN ZONE, 33IN BF, 14IN OAH, LH FULL CONTROL
HT33C1CS	HCAT90, SERIES 1500, 36IN ZONE, 33IN BF, 14IN OAH, RH FULL CONTROL
HT36C1DS	HCAT90, SERIES 1500, 36IN ZONE, 36IN BF, 14IN OAH, LH FULL CONTROL
HT36C1CS	HCAT90, SERIES 1500, 36IN ZONE, 36IN BF, 14IN OAH, RH FULL CONTROL

HILMOT MDR LIFT GATE

GATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR lift gate modules provide safe egress breaks in the conveyor line that are strategically placed for pedestrian or push cart traffic. Typical gates consist of a 36" pivot bed with 12" tangents; adding a clear distance for a walk way. Other sizes and swing gates are available upon request. All lift gates come with gas springs to assist the user in moving the gate up or down. Pre-wired conveyor sections are networked with a variety of technologies and are easily configured for multiple applications.




Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Provides safe egress break in the conveyor line
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

HILMOT LIFT GATE

GATE MODULE - Series 1500

HILMOT SERIES 1500, MDR GATE, FULL I/O + OCTO 24 36" GATE ARM

QUICK QUOTE#	Description
GT15LODS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
GT15LOCS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
GT21LODS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
GT21LOCS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
GT27LODS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
GT27LOCS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
GT33LODS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
GT33LOCS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
GT36LODS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
GT36LOCS	36IN GATE, SERIES 1500, 12IN TANGENT, 48IN OAL, 28IN CLEARANCE, O ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SERIES 1500, MDR GATE, FULL I/O + OCTO 24 48" GATE ARM

QUICK QUOTE#	Description
GT15MODS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
GT15MOCS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
GT21MODS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
GT21MOCS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL
GT27MODS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
GT27MOCS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
GT33MODS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
GT33MOCS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
GT36MODS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
GT36MOCS	48IN GATE, SERIES 1500, 12IN TANGENT, 60IN OAL, 28IN CLEARANCE, O ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT MDR SPUR CURVE

MERGE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR spur curve modules deliver a convenient solution for consolidation applications and have a 90° spur for tighter footprints. Built in and factory-mounted guard rail are included. Pre-mounted in-frame photo eyes are prewired and protected from product. No pneumatics required. The all 24VDC electric operation ensures a consistent and quiet system that is easy to maintain.


Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Merge any line that is not perpendicular to the trunk line
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

HILMOT MDR SPUR CURVE

MERGE MODULE - Series 1500



HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, FULL, 24 VOLT DC SET LOW 30IN ZONE MERGE STANDARDS 90IN L

QUICK QUOTE#	Description
SC1591DS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 15IN BF, RSL 7.5IN, MERGE FROM RH, LH FULL CONTROL
SC1591CS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 15IN BF, RSL, MERGE FROM LEFT, RH FULL CONTROL
SC2191DS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 21IN BF, RSL 7.5IN, MERGE FROM RH, LH FULL CONTROL
SC2191CS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 21IN BF, RSL, MERGE FROM LEFT, RH FULL CONTROL
SC2791DS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 27IN BF, RSL, MERGE FROM RH, LH FULL CONTROL
SC2791CS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 27IN BF, RSL, MERGE FROM LEFT, RH FULL CONTROL
SC3391DS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 33IN BF, RSL, MERGE FROM RH, LH FULL CONTROL
SC3391CS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 33IN BF, RSL, MERGE FROM LEFT, RH FULL CONTROL
SC3691DS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 36IN BF, RSL, MERGE FROM RH, LH FULL CONTROL
SC3691CS	CURVE SPUR, 90DEG, SERIES 1500, TRUE TAPER, 36IN BF, RSL, MERGE FROM LEFT, RH FULL CONTROL

HILMOT MDR SPUR


MERGE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot MDR spur modules are a 30° or 45° spur that can be placed nearly anywhere on a new or preexisting system. Built-in and factory-mounted guard rail are included. Pre-mounted in-frame photo eyes are pre-wired and protected from product. No pneumatics required. The all 24VDC electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 180 FPM
Gear Ratio 18:1
Up to 75 lbs
O-Band



KEY FEATURES AND BENEFITS

- Merge any line that is not perpendicular to the trunk line
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

HILMOT MDR SPUR

MERGE MODULE - Series 1500



HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, FULL, 24 VOLT DC SET LOW 30IN ZONE MERGE STANDARDS 90IN L

QUICK QUOTE#	Description
SU15B3DS	SPUR, 30DEG, SERIES 1500, 15IN BF, RSL, MERGE FROM LEFT, LH FULL CONTROL
SU15B3CS	SPUR, 30DEG, SERIES 1500, 15IN BF, RSL, MERGE FROM RIGHT, RH FULL CONTROL
SU21B3DS	SPUR, 30DEG, SERIES 1500, 21IN BF, RSL, MERGE FROM LEFT, LH FULL CONTROL
SU21B3CS	SPUR, 30DEG, SERIES 1500, 21IN BF, RSL, MERGE FROM RIGHT, RH FULL CONTROL
SU27B3DS	SPUR, 30DEG, SERIES 1500, 27IN BF, RSL, MERGE FROM LEFT, LH FULL CONTROL
SU27B3CS	SPUR, 30DEG, SERIES 1500, 27IN BF, RSL, MERGE FROM RIGHT, RH FULL CONTROL
SU33B3DS	SPUR, 30DEG, SERIES 1500, 33IN BF, RSL, MERGE FROM LEFT, LH FULL CONTROL
SU33B3CS	SPUR, 30DEG, SERIES 1500, 33IN BF, RSL, MERGE FROM RIGHT, RH FULL CONTROL
SU36B3DS	SPUR, 30DEG, SERIES 1500, 36IN BF, RSL, MERGE FROM LEFT, LH FULL CONTROL
SU36B3CS	SPUR, 30DEG, SERIES 1500, 36IN BF, RSL, MERGE FROM RIGHT, RH FULL CONTROL

HILMOT HCAT30

DIVERTER MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot HCAT30 diverter modules provide a 30° angle to move packages and totes to a separate line. The design allows for the unit to be placed close together to provide sortation-type package flow. It uses MDR technology to drive the rollers, belts and lifting motion. It is fully powered by 24 volt DC electricity, with rates up to 50 products/min. There is no electric actuator or pneumatic cylinder reducing overall project cost and installation effort. Pre-wired for factory testing and quick installation.

Minimum Product Size 7" X 7"
Up to 180 FPM
Gear Ratio 18:1
Up to 75 lbs
O-Band



KEY FEATURES AND BENEFITS

- Rate up to 50 products per min (Conditional on Application)
- Standard to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Electrical components have quick connect terminals for easy installations and expansion
- Durable, high tension O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard, Up to IP67
- Positive Drive, O-Band
- Programming Required

HILMOT HCAT30

DIVERTER MODULE - Series 1500



HILMOT SERIES 1500, STANDARD GOODS, FULL, ZPA, FULL, 24 V DC 30IN ZONE 30 DEG POP-UP DIVERT HCAT30 90IN L

QUICK QUOTE#	Description
HD15B3F5S	90IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH FULL CONTROL
HD15B3E5S	90IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH FULL CONTROL
HD21B3F5S	90IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH FULL CONTROL
HD21B3E5S	90IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SERIES 1500, STANDARD GOODS, FULL, ZPA, FULL, 24 V DC 30IN ZONE 30 DEG POP-UP DIVERT HCAT30 120IN L

QUICK QUOTE#	Description
HD27B4F5S	120IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH FULL CONTROL
HD27B4E5S	120IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH FULL CONTROL
HD33B4F5S	120IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH FULL CONTROL
HD33B4E5S	120IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH FULL CONTROL
HD36B4F5S	120IN HCAT30, 30DEG DIVERT TO RIGHT, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH FULL CONTROL
HD36B4E5S	120IN HCAT30, 30DEG DIVERT TO LEFT, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH FULL CONTROL

HILMOT SPIRAL CURVE

CURVE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot's spiral curve modules can be used as a stand-alone elevation change or combine together to create an inclining or declining spiral, which allows for an elevation change in a small footprint. The pre-wired spiral curve module has built-in zero pressure accumulation and can be networked with bus technology, which enables custom control and fully visible diagnostics. All electric operation ensures a consistent and quiet system that is easy to maintain.




Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 21:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Use as a stand-alone elevation change or combine together to create an inclining or declining spiral
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- Available ZPA Analyzer allows for system diagnostic and commissioning
- IP54 Standard

HILMOT SPIRAL CURVE

CURVE MODULE - Series 1500

HILMOT SERIES 1500, ZPA SPIRAL CURVE STANDARDS, 90DEG INCLINE

QUICK QUOTE#	Description
IS1592DS	90DEG SPIRAL CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE, RH CURVE, CW, LH FULL CONTROL
IS1592CS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL
IS2192DS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
IS2192CS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL
IS2792DS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
IS2792CS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL
IS3392DS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
IS3392CS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, INCLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL

HILMOT SERIES 1500, ZPA SPIRAL CURVE STANDARDS, 90DEG DECLINE

QUICK QUOTE#	Description
DS1592DS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
DS1592CS	90DEG CURVE, SERIES 1500, 15IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL
DS2192DS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
DS2192CS	90DEG CURVE, SERIES 1500, 21IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL
DS2792DS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
DS2792CS	90DEG CURVE, SERIES 1500, 27IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL
DS3392DS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, RH CURVE, CW, LH FULL CONTROL
DS3392CS	90DEG CURVE, SERIES 1500, 33IN BF, RSL 7.5IN, 2 ZONE, 32.5IR, 9IN ELEVATION CHANGE, DECLINE SPIRAL, LH CURVE, CCW, RH FULL CONTROL

HILMOT MDR SPIRAL

SPIRAL MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot MDR spirals enable major elevation change in a small footprint. This allows height differences to be bridged while retaining a smooth flow of product. Built-in zero pressure accumulation (ZPA) and polyurethane sleeves on the rollers come standard. The modules are also reversible. Pre-wired modules can be networked with bus technology, which enables custom control and fully visible diagnostics. All electric operation ensures a consistent and quiet system that is easy to maintain.


Minimum Product Size 8" X 8"

Up to 180 FPM

Gear Ratio 21:1

Up to 75 lbs

O-Band



KEY FEATURES AND BENEFITS

- Enable major elevation change in a small footprint
- Light to medium weight applications up to 75 lbs
- Ships In Manageable Sections For Easy Transportation
- Modular Design Allows For Easy Expansion
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension 5/16 O-bands
- IP54 Standard

HILMOT MDR SPIRAL

SPIRAL MODULE - Series 1500

HILMOT SERIES 1500 INCLINE SPIRAL 48IN TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, FULL

QUICK QUOTE#	Description
IS15T1DS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS15T1CS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
IS21T1DS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS21T1CS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
IS27T1DS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS27T1CS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
IS33T1DS	INCLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS33T1CS	INCLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL

HILMOT SERIES 1500 DECLINE SPIRAL 48IN TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, FULL

QUICK QUOTE#	Description
DS15T1DS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS15T1CS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
DS21T1DS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS21T1CS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
DS27T1DS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS27T1CS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
DS33T1DS	DECLINE CW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS33T1CS	DECLINE CCW SPIRAL 48IN TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL

HILMOT MDR SPIRAL

SPIRAL MODULE - Series 1500

HILMOT SERIES 1500 INCLINE SPIRAL BASE TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, FULL

QUICK QUOTE#	Description
IS15B1DS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS15B1CS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
IS21B1DS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS21B1CS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
IS27B1DS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS27B1CS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
IS33B1DS	INCLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
IS33B1CS	INCLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL

HILMOT SERIES 1500 DECLINE SPIRAL BASE TOWER ASSY, 1 REV, IRO TAPER, RSL, 32.5IR, FULL

QUICK QUOTE#	Description
DS15B1DS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS15B1CS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 15IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
DS21B1DS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS21B1CS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 21IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
DS27B1DS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS27B1CS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 27IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL
DS33B1DS	DECLINE CW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, LH FULL CONTROL
DS33B1CS	DECLINE CCW SPIRAL BASE TOWER ASSEMBLY, 1 REV, 36IN ELEVATION CHANGE, SERIES 1500, 33IN BF, RSL 7.5IN, 32.5IR, RH FULL CONTROL

HILMOT DOUBLE PICK & PASS

TRANSFER MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot helps automate traditional pick and pass transfer applications with our new HCAT90 transfer unit design. The Hilmot MDR double pick and pass transfer module can reach 40 cartons per minute (CPM). This system can route cartons or totes to zones that require picking, getting product to every operator without stopping. It is fast and efficient, perfect for pick-to-light or voice-pick systems.



Minimum Product Size 9" X 9"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

Poly V



KEY FEATURES AND BENEFITS

- Rate up to 40 products per min (Conditional on Application)
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension Poly V belt
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Postive Drive, Poly V
- Programming Required

HILMOT DOUBLE PICK & PASS

TRANSFER MODULE - Series 1500

HILMOT SERIES 1500, HCAT TRANSFER DOUBLE PICK & PASS ASSEMBLY W/ TRANSFERS 30IN ZONE

QUICK QUOTE#	Description
HT15B2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 15IN BF, 6IN GAP, FULL CONTROL
HT21B2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 21IN BF, 6IN GAP, FULL CONTROL
HT27B2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 27IN BF, 6IN GAP, FULL CONTROL
HT33B2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 33IN BF, 6IN GAP, FULL CONTROL
HT36B2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 30IN ZONE, 36IN BF, 6IN GAP, FULL CONTROL

HILMOT SERIES 1500, HCAT TRANSFER DOUBLE PICK & PASS ASSEMBLY W/ TRANSFERS 36IN ZONE

QUICK QUOTE#	Description
HT15C2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 15IN BF, 6IN GAP, FULL CONTROL
HT21C2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 21IN BF, 6IN GAP, FULL CONTROL
HT27C2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 27IN BF, 6IN GAP, FULL CONTROL
HT33C2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 33IN BF, 6IN GAP, FULL CONTROL
HT36C2AS	HCAT90 DOUBLE PICK AND PASS ASSEMBLY, SERIES 1500, 36IN ZONE, 36IN BF, 6IN GAP, FULL CONTROL

HILMOT TRIPLE PICK & PASS

TRANSFER MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT

A TREW Company

Hilmot helps automate traditional pick and pass transfer applications with our new HCAT90 transfer unit design. The Hilmot MDR triple pick and pass Transfer module can reach 40 cartons per minute (CPM). This system can route cartons or totes to zones that require picking, getting product to every operator without stopping. It is fast and efficient, perfect for pick-to-light or voice-pick systems.



Minimum Product Size 9" X 9"

Up to 180 FPM

Gear Ratio 18:1

Up to 75 lbs

Poly V



KEY FEATURES AND BENEFITS

- Rate up to 40 products per min (Conditional on Application)
- Light to medium weight applications up to 75 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension Poly V belt
- Available ZPA Analyzer allows for system diagnostic and commissioning
- Positive Drive, Poly V
- Programming Required

HILMOT TRIPLE PICK & PASS

TRANSFER MODULE - Series 1500

HILMOT SERIES 1500, HCAT TRANSFER TRIPLE PICK & PASS ASSEMBLY W/ TRANSFERS 30IN ZONE

QUICK QUOTE#	Description
HT15B3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 15IN BF, 6IN GAP, FULL CONTROL
HT21B3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 21IN BF, 6IN GAP, FULL CONTROL
HT27B3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 27IN BF, 6IN GAP, FULL CONTROL
HT33B3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 33IN BF, 6IN GAP, FULL CONTROL
HT36B3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 30IN ZONE, 36IN BF, 6IN GAP, FULL CONTROL

HILMOT SERIES 1500, HCAT TRANSFER TRIPLE PICK & PASS ASSEMBLY W/ TRANSFERS 36IN ZONE

QUICK QUOTE#	Description
HT15C3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 15IN BF, 6IN GAP, FULL CONTROL
HT21C3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 21IN BF, 6IN GAP, FULL CONTROL
HT27C3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 27IN BF, 6IN GAP, FULL CONTROL
HT33C3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 33IN BF, 6IN GAP, FULL CONTROL
HT36C3AS	HCAT TRANSFER TRIPLE PICK AND PASS ASSEMBLY W/ TRANSFERS, SERIES 1500, 36IN ZONE, 36IN BF, 6IN GAP, FULL CONTROL

HILMOT GRAVITY ROLLER CONVEYOR


INTERMEDIATE MODULE - Series 1500

NON-POWERED

HILMOT
A TREW Company

Hilmot gravity roller straight modules are your most cost-effective solution for warehousing, loading, package sorting, and assembly or kitting application. These conveyors are designed with return downward flange for improved appearance, comfort and operator safety. The gravity roller conveyor is one of the most common pieces of equipment found in distribution centers and warehouses.

*Minimum Product Size 8" X 8"
Up to 200 lbs*



KEY FEATURES AND BENEFITS

- Light to Medium weight applications up to 200 lbs
- Efficient conveying with minimal pitch
- Non-powered conveyor
- Perfect for distribution, packing, manufacturing, and picking
- Manually convey light to medium duty loads with flat bottoms
- Side rail designed with a smooth flange down for operator comfort and safety
- Easy access and removal of product from both sides
- Operating with spring loaded rollers for easy removal and replacement
- 1200 lbs Maximum Load per 120IN Intermediate with supports on 10FT centers

HILMOT GRAVITY ROLLER CONVEYOR

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT TO MEDIUM GOODS, NON POWER SET HIGH INTERMEDIATE STANDARDS 120IN L	
QUICK QUOTE#	Description
GR15DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 15" BF, RSH 3.5IN, FLANGE DOWN
GR21DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 21" BF, RSH 3.5IN, FLANGE DOWN
GR27DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 27" BF, RSH 3.5IN, FLANGE DOWN
GR33DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 33" BF, RSH 3.5IN, FLANGE DOWN
GR36DOS	120IN GRAVITY INTERMEDIATE, SERIES 1500, 36" BF, RSH 3.5IN, FLANGE DOWN
HILMOT SERIES 1500, LIGHT TO MEDIUM GOODS, NON POWER SET HIGH INTERMEDIATE STANDARDS 60IN L	
QUICK QUOTE#	Description
GR15BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 15" BF, RSH 3.5IN, FLANGE DOWN
GR21BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 21" BF, RSH 3.5IN, FLANGE DOWN
GR27BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 27" BF, RSH 3.5IN, FLANGE DOWN
GR33BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 33" BF, RSH 3.5IN, FLANGE DOWN
GR36BOS	60IN GRAVITY INTERMEDIATE, SERIES 1500, 36" BF, RSH 3.5IN, FLANGE DOWN

HILMOT MDR BELTED HORIZONTAL 24" ZONE




INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted horizontal modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED HORIZONTAL 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
FS15A2DS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FS15A2CS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FS21A2DS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FS21A2CS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FS27A2DS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FS27A2CS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FS33A2DS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FS33A2CS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FS36A2DS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FS36A2CS	48IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
FS15A1DS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FS15A1CS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FS21A1DS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FS21A1CS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FS27A1DS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FS27A1CS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FS33A1DS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FS33A1CS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FS36A1DS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FS36A1CS	24IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED HORIZONTAL 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FS15A6DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FS15A6CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FS21A6DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FS21A6CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FS27A6DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FS27A6CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FS33A6DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FS33A6CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FS36A6DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FS36A6CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
FS15A4DS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FS15A4CS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FS21A4DS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FS21A4CS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FS27A4DS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FS27A4CS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FS33A4DS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FS33A4CS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FS36A4DS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FS36A4CS	96IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted decline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs

Up to a 15 Degree Decline



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED DECLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FD15A6DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15A6CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21A6DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21A6CS	144IN INTERMEDIATE,DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27A6DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27A6CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33A6DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33A6CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36A6DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36A6CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
FD15A4DS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15A4CS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21A4DS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21A4CS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27A4DS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27A4CS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33A4DS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33A4CS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36A4DS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36A4CS	96IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
FD15A2DS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15A2CS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21A2DS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21A2CS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27A2DS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27A2CS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33A2DS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33A2CS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36A2DS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36A2CS	48IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
FD15A1DS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15A1CS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21A1DS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21A1CS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27A1DS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27A1CS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33A1DS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33A1CS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36A1DS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36A1CS	24IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC NOSE OVER 24IN ZONE

QUICK QUOTE#	Description
FN15A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36A1LIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36A1RIS	24IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT SERIES1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC POWER FEEDER 24IN ZONE

QUICK QUOTE#	Description
FN15A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36A1LDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36A1RDS	24IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted incline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs

Up to a 15 Degree Incline



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED INCLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FI15A6DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15A6CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21A6DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21A6CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27A6DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27A6CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33A6DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33A6CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36A6DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36A6CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 96IN L

QUICK QUOTE#	Description
FI15A4DS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15A4CS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21A4DS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21A4CS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27A4DS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27A4CS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33A4DS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33A4CS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36A4DS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36A4CS	96IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 48IN L

QUICK QUOTE#	Description
FI15A2DS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15A2CS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21A2DS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21A2CS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27A2DS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27A2CS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33A2DS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33A2CS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36A2DS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36A2CS	48IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 24IN ZONE INTERMEDIATE STANDARDS 24IN L

QUICK QUOTE#	Description
FI15A1DS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15A1CS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21A1DS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21A1CS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27A1DS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27A1CS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33A1DS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33A1CS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36A1DS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36A1CS	24IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 24" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC NOSE OVER 24IN ZONE

QUICK QUOTE#	Description
FN15A1LIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15A1RIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21A1LIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21A1RIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27A1LIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27A1RIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33A1LIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33A1RIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36A1LIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36A1RIS	24IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT SERIES1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC POWER FEEDER 24IN ZONE

QUICK QUOTE#	Description
FN15A1LDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15A1RDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21A1LDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21A1RDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27A1LDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27A1RDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33A1LDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33A1RDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36A1LDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36A1RDS	24IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 24IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED HORIZONTAL 30" ZONE



INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted horizontal modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED HORIZONTAL 30" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
FD15B4DS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15B4CS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21B4DS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21B4CS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27B4DS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27B4CS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33B4DS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33B4CS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36B4DS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36B4CS	120IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
FD15B2DS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15B2CS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21B2DS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21B2CS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27B2DS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27B2CS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33B2DS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33B2CS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36B2DS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36B2CS	60IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED HORIZONTAL 30” ZONE

INTERMEDIATE MODULE - Series 1500



HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L	
QUICK QUOTE#	Description
FD15B1DS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15B1CS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21B1DS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21B1CS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27B1DS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27B1CS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33B1DS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33B1CS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36B1DS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36B1CS	30IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 30" ZONE

INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted decline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs

Up to a 15 Degree Decline



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED DECLINE 30" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
FD15B4DS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15B4CS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21B4DS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21B4CS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27B4DS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27B4CS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33B4DS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33B4CS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36B4DS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36B4CS	120IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
FD15B2DS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15B2CS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21B2DS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21B2CS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27B2DS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27B2CS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33B2DS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33B2CS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36B2DS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36B2CS	60IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 30" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L

QUICK QUOTE#	Description
FD15B1DS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15B1CS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21B1DS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21B1CS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27B1DS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27B1CS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33B1DS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33B1CS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36B1DS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36B1CS	30IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC NOSE OVER 30IN ZONE

QUICK QUOTE#	Description
FN15B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN33B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36B1LI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36B1RI	30IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 30” ZONE
INTERMEDIATE MODULE - Series 1500



HILMOT
A TREW Company

HILMOT SERIES1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC POWER FEEDER 30IN ZONE	
QUICK QUOTE#	Description
FN15B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36B1LD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36B1RD	30IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 30" ZONE

INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted incline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs

Up to a 15 Degree Incline



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED INCLINE 30" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 120IN L

QUICK QUOTE#	Description
FI15B4DS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15B4CS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21B4DS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21B4CS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27B4DS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27B4CS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33B4DS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33B4CS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36B4DS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36B4CS	120IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 60IN L

QUICK QUOTE#	Description
FI15B2DS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15B2CS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21B2DS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21B2CS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27B2DS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27B2CS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33B2DS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33B2CS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36B2DS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36B2CS	60IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 30" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 30IN ZONE INTERMEDIATE STANDARDS 30IN L

QUICK QUOTE#	Description
FI15B1DS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15B1CS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21B1DS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21B1CS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27B1DS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27B1CS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33B1DS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33B1CS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36B1DS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36B1CS	30IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC NOSE OVER 30IN ZONE

QUICK QUOTE#	Description
FN15B1LI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15B1RI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21B1LI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21B1RI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27B1LI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27B1RI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN33B1LI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33B1RI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36B1LI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36B1RI	30IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 30” ZONE
INTERMEDIATE MODULE - Series 1500



HILMOT SERIES1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC POWER FEEDER 30IN ZONE	
QUICK QUOTE#	Description
FN15B1LD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15B1RD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21B1LD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21B1RD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27B1LD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27B1RD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33B1LD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33B1RD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36B1LD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36B1RD	30IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 30IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED HORIZONTAL 36" ZONE



INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted Horizontal modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications and small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED HORIZONTAL 36" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FD15C4DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15C4CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21C4DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21C4CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27C4DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27C4CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33C4DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33C4CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36C4DS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36C4CS	144IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
FD15C2DS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15C2CS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21C2DS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21C2CS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27C2DS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27C2CS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33C2DS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33C2CS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36C2DS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36C2CS	72IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED HORIZONTAL 36” ZONE

INTERMEDIATE MODULE - Series 1500



HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L	
QUICK QUOTE#	Description
FD15C1DS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15C1CS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21C1DS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21C1CS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27C1DS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27C1CS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33C1DS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33C1CS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36C1DS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36C1CS	36IN INTERMEDIATE, HORIZONTAL, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 36" ZONE

INTERMEDIATE MODULE - Series 1500

Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted decline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications, small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs

Up to a 15 Degree Decline



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED DECLINE 36" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FD15C4DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15C4CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21C4DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21C4CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27C4DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27C4CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33C4DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33C4CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36C4DS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36C4CS	144IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
FD15C2DS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15C2CS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21C2DS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21C2CS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27C2DS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27C2CS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33C2DS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33C2CS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36C2DS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36C2CS	72IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 36" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L

QUICK QUOTE#	Description
FD15C1DS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FD15C1CS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FD21C1DS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FD21C1CS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FD27C1DS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FD27C1CS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FD33C1DS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FD33C1CS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FD36C1DS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FD36C1CS	36IN INTERMEDIATE, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC NOSE OVER 36IN ZONE

QUICK QUOTE#	Description
FN15C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN33C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36C1LI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36C1RI	36IN INTERMEDIATE, NOSE OVER, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED DECLINE 36” ZONE
INTERMEDIATE MODULE - Series 1500



HILMOT SERIES1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC POWER FEEDER 36IN ZONE	
QUICK QUOTE#	Description
FN15C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36C1LD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36C1RD	36IN INTERMEDIATE, POWER-FEED, DECLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 36" ZONE

INTERMEDIATE MODULE - Series 1500


Controls Platform: H-20 Full Control

HILMOT
A TREW Company

Hilmot's MDR belted incline modules have a high friction belt that holds product in location and helps maintain product alignment, perfect for print and apply applications, small and light products and bags. Higher angles are possible depending on the application. Pre-wired conveyor sections are networked with bus technology and are easily configured for multiple applications. All electric operation ensures a consistent and quiet system that is easy to maintain.

Minimum Product Size 8" X 8"
Up to 150 FPM
Gear Ratio 21:1
Up to 50 lbs

Up to a 15 Degree Incline



KEY FEATURES AND BENEFITS

- Sensitive Product Handling
- Take Up Bracket Per Zone for Belt Alignment
- T-Strip between belts for smaller products transition
- Ultra Co-Efficient Pyramid Belt Surface for higher traction & durability
- Light to medium weight applications up to 50 lbs
- Resilient and durable construction. Perfect for distribution, warehouse, process lines and postal applications
- IP54 Standard
- Tool-less mounting brackets for all electrical components
- Electrical components have quick connect terminals for easy installations and expansion
- Using durable, high tension belt
- Available ZPA Analyzer allows for system diagnostic and commissioning

HILMOT MDR BELTED INCLINE 36" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 144IN L

QUICK QUOTE#	Description
FI15C4DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15C4CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21C4DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21C4CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27C4DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27C4CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33C4DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33C4CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36C4DS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36C4CS	144IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 72IN L

QUICK QUOTE#	Description
FI15C2DS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15C2CS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21C2DS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21C2CS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27C2DS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27C2CS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33C2DS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33C2CS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36C2DS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36C2CS	72IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 36" ZONE

INTERMEDIATE MODULE - Series 1500

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC SET LOW 36IN ZONE INTERMEDIATE STANDARDS 36IN L

QUICK QUOTE#	Description
FI15C1DS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, LH, FULL CONTROL
FI15C1CS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5IN, RH, FULL CONTROL
FI21C1DS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, LH, FULL CONTROL
FI21C1CS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5IN, RH, FULL CONTROL
FI27C1DS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, LH, FULL CONTROL
FI27C1CS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5IN, RH, FULL CONTROL
FI33C1DS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, LH, FULL CONTROL
FI33C1CS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5IN, RH, FULL CONTROL
FI36C1DS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, LH, FULL CONTROL
FI36C1CS	36IN INTERMEDIATE, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5IN, RH, FULL CONTROL

HILMOT SERIES 1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC NOSE OVER 36IN ZONE

QUICK QUOTE#	Description
FN15C1LI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15C1RI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21C1LI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21C1RI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27C1LI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27C1RI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN33C1LI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33C1RI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36C1LI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36C1RI	36IN INTERMEDIATE, NOSE OVER, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL

HILMOT MDR BELTED INCLINE 36” ZONE
INTERMEDIATE MODULE - Series 1500



HILMOT SERIES1500, LIGHT GOODS, FULL, ZPA, 24 VOLT DC POWER FEEDER 36IN ZONE	
QUICK QUOTE#	Description
FN15C1LD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, LH, FULL CONTROL
FN15C1RD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 15IN BF, RSL 7.5, RH, FULL CONTROL
FN21C1LD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, LH, FULL CONTROL
FN21C1RD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 21IN BF, RSL 7.5, RH, FULL CONTROL
FN27C1LD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, LH, FULL CONTROL
FN27C1RD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 27IN BF, RSL 7.5, RH, FULL CONTROL
FN33C1LD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, LH, FULL CONTROL
FN33C1RD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 33IN BF, RSL 7.5, RH, FULL CONTROL
FN36C1LD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, LH, FULL CONTROL
FN36C1RD	36IN INTERMEDIATE, POWER-FEED, INCLINE, FWB, SERIES 1500, 36IN ZONE, 36IN BF, RSL 7.5, RH, FULL CONTROL